

CSS & AJAX

CSS is used to style the layout of a web page. It is a language that describes the appearance of the elements on a web page.

Web 2.0 is a term used to describe the second generation of the World Wide Web. It is characterized by the use of Ajax and CSS to create more interactive and dynamic web pages.

CSS and Ajax are used together to create a more user-friendly and interactive web experience. Ajax allows for the dynamic loading and updating of content on a web page without the need to refresh the entire page.

Example:

1. Use Ajax to load data from a server into a web page. This is done by using the XMLHttpRequest object to send an asynchronous request to the server.

Code:

```
var xmlhttp=new XMLHttpRequest();
```

Code:

Example: "GET" method

2. Use Ajax to load data from a server into a web page.

Code:

```
var xmlhttp=new XMLHttpRequest();  
function getData()  
{  
//send an asynchronous request to the server  
xmlhttp.onreadystatechange=statechange;  
//send the request  
xmlhttp.open("GET","DataPage.php",true);
```

Our Services



Document Translation Services



Interpretation Services



Desktop Publishing Services



Video Translation Solutions

```
xmlhttp.send(null);
}
function statechange()
{
if(xmlhttp.readyState==4)
{
if(xmlhttp.status==200)
{
//
SplitData(xmlhttp.responseText);
}
}
}
function SplitData()
{
//
}
}
}
```

Our Services



Document
Translation Services



Interpretation
Services



Desktop
Publishing Services



Video
Translation Solutions