

XXXXXXXXXXXXXX.

- a) if (\$result ['user_id'] != 0) {
- b) \$sql = ' SELECT user_id,user_name FROM ' . \$GLOBALS ['ecs']->table ('users') . ' WHERE user_id = ' . \$result ['user_id'] . " ";
- c) \$res = \$db->getRow (\$sql);
- d) }

1. 3. XXXXXXXXXXXXuser_idXXXXXXXXXX,XXXXXXXXXXXXXXXX,XXXXXSESSION XXXX.

- a) \$_SESSION ['pic_id'] = \$result ['id'];
- b) \$_SESSION ['design_id'] = \$result ['user_id'];
- c) \$_SESSION ['design_name'] = \$result ['user_name'];

1. 4. XXXXXXXXXXXXSESSIONXXXXXXXXXXXXXXXX,XXXXXXXXXXXXXX.


a) XXXXX"ecs_downpic"X,XXXXXXXXid,XXXXid,XXXXidXXXXXXXXname,XXXXXXXXid,XXXXXXXXXXXXXXXXXXXX.:

- b)
- 1. 5. XXXX,XXXXXXXXXXXXXXXXXXXX,XXXXX,XXXXXXXXXXXXXXXXXXXXXXXXXXXX,XXXXXXXXXXXXXXXXXXXX,XXXXXXXXXXXXXXXXXXXX.


- a) XXXXXXXXXXX,XXXXXXXXXXXXXXXXXXXXXXXXXXXX.
- 1. i. \$sql = "SELECT * FROM " . \$GLOBALS ['ecs']->table ('downpic') . " WHERE pic_id = ".\$result ['id'];
- 2. ii. \$values = \$db->getRow (\$sql);

- b) XXXXXXX,XXXXXXXXX,XXXXXXXXX,XXXXXXXXXXXXXXXXXXXXXXXXXXXX:
- 1. 1. if (empty (\$values)) {
- 2. 2. \$sql = "INSERT INTO " . \$GLOBALS ['ecs']->table ('downpic') . " (pic_id,design_id,design_name) VALUES(" . \$_SESSION

Our Services




Document Translation Services



Interpretation Services



Desktop Publishing Services



Video Translation Solutions

```
['pic_id'] . "," . $_SESSION ['design_id'] . "," . $_SESSION  
['design_name'] . "'";
```

3. 3. \$query = \$db->query (\$sql);
4. 4. \$downid = \$db->insert_id ();
5. 5. if (\$query) {
6. 6. sys_msg (' ', 0, \$link);
7. 7. } else {
8. 8. sys_msg (' ', 1, \$link);
9. 9. }

c) \$ecs->table ('downpic', \$db->insert_id (), \$_SESSION ['design_id'],

1. i. \$_SESSION ['down_id'] = \$downid;
2. ii. if (\$query) {
3. iii. sys_msg (' ', 0, \$link);
4. iv. } else {
5. v. sys_msg (' ', 1, \$link);
6. vi. }
7. v. \$ecs->table ('downpic', \$db->insert_id (), \$_SESSION ['design_id'],
1. 1. \$ecs->table ('downpic', \$db->insert_id (), \$_SESSION ['design_id'],
2. 2. \$ecs->table ('downpic', \$db->insert_id (), \$_SESSION ['design_id'],

a) \$db->query (\$sql);

b) \$db->insert_id ();

c) \$ecs->table ('downpic', \$db->insert_id (), \$_SESSION ['design_id'],

d) if (\$goods_id) {

e) \$sql = "UPDATE " . \$ecs->table ('downpic') . " SET shop_id = ' " . \$goods_id . " WHERE id = ' " . \$_SESSION ['down_id'];

f) \$db->query (\$sql);

g) }

Our Services



Document Translation Services



Interpretation Services



Desktop Publishing Services



Video Translation Solutions

□□□□:

goods.php?action=down_goods

```
elseif ($_REQUEST ['act'] == 'down_goods') {  
$link [] = array ('href' => 'goods.php?act=add', 'text' => '□□□□□□');  
$id = isset ( $_REQUEST ['id'] ) ? $_REQUEST ['id'] : 0;  
if ($id != 0) {  
$sql = 'SELECT * FROM ' . $GLOBALS ['ecs']->table ( 'uploadimg' ) . '  
WHERE id = ' . $id . .";  
$result = $db->getRow ( $sql );  
if ($result ['user_id'] != 0) {  
$sql = ' SELECT user_id,user_name FROM ' . $GLOBALS ['ecs']->table ( 'users' ) . ' WHERE user_id = ' . $result ['user_id'] . .";  
$res = $db->getRow ( $sql );  
}  
$result ['user_name'] = $res ['user_name'];  
if ($result) {  
$_SESSION ['pic_id'] = $result ['id'];  
$_SESSION ['design_id'] = $result ['user_id'];  
$_SESSION ['design_name'] = $result ['user_name'];  
  
$sql = "SELECT * FROM " . $GLOBALS ['ecs']->table ('downpic') . " WHERE  
pic_id = ".$result ['id'];  
$values = $db->getRow ( $sql );  
if (empty ( $values )) {  
$sql = "INSERT INTO " . $GLOBALS ['ecs']->table ( 'downpic' ) . "  
(pic_id,design_id,design_name)  
VALUES(" . $_SESSION ['pic_id'] . "," . $_SESSION ['design_id'] . "," .  
$_SESSION ['design_name'] . ")";
```

Our Services



Document
Translation Services



Interpretation
Services



Desktop
Publishing Services



Video
Translation Solutions

```
$query = $db->query ( $sql );
$downid = $db->insert_id ();
$_SESSION ['down_id'] = $downid;
if ($query) {
sys_msg ( '成功', 0, $link );
} else {
sys_msg ( '失败', 1, $link );
}
} else {
sys_msg ( '失败', 1, $link );
}
}
}
}
```

goods.php?act=insert

```
if ($goods_id) {
$sql = "UPDATE " . $ecs->table ( 'downpic' ) . ' SET shop_id = ' .
$goods_id . ' WHERE id = ' . $_SESSION ['down_id'];
$db->query ( $sql );
}
```

Ecshop

Our Services



Document Translation Services



Interpretation Services



Desktop Publishing Services



Video Translation Solutions